



## OUTPATIENT SURGERY BEDS AMB7 LCA



**Day care unit - Surgery**



# Summary

<b>HAcare, specialist in medical devices since 1860.</b>	3
<b>HAcare Group's eco-responsible commitments</b>	4
<b>Choose the circular economy</b>	5
<b>Recyclable materials</b>	6
<b>Certifications</b>	7
<b>Outpatient surgery beds Hospital Surgery</b>	8
<b>Our exclusives</b>	
Soft Sound	10
Easy MOV	11
Ophthalmologic headrest	12
Tech + side guards	13
<b>Highlights</b>	
Designed for ambulatory surgery (Equipment)	15
Universal bi-lateral technical rail (Universal support)	16
Optimizing the care surface (Easy Clip)	17
Easy maintenance (Interchangeability)	18
The QR Code to access any information (Traceability)	19
<b>Characteristics</b>	
Side guards	21
Mobility	22
Controls	23
Pre-programmed functions	24
Security	25
Lying surface	26
Lying surface	27
<b>Technical specifications</b>	28
<b>Options &amp; Accessories</b>	32







## ■ HAcare, specialist in medical devices since 1860.

At HAcare, we design, manufacture and distribute medical devices and innovative, durable medical furniture solutions designed to improve the daily lives of patients and healthcare professionals alike.





## The HAcare Group's eco-responsible commitments

The HAcare group commits to an **eco-responsible industrial orientation**

In its sustainable development strategy, the HAcare group has defined a list of **6 commitments** that guide its **actions and decisions** since the group's creation and for the years to come.

Indicators have been set up for each commitment.

### Our 6 commitments



Made in France production



The use of renewable resources



Integrating the circular economy into all new product developments



Responsible purchasing (supplier quality monitoring)



Daily actions to respect and protect the environment



Combating RSI and noise pollution through our products



# Choose the circular economy



HAcare finished products can be recycled through a recovery circuit at the end customer's premises, for recycling with our partner supplier. As wood cannot be recycled ad infinitum because its fibers become too small or exhausted, wood waste is recovered and transformed into green energy.



The plant fiber boards used in the manufacture of HAcare products are 100% reclaimed wood. Each HAcare finished product bears an index revealing the proportion of plant fiber contained.



Recycling is the practice of recovering used materials from the waste stream, then incorporating these same materials into the manufacturing process. Each HAcare finished product carries an index revealing the proportion of recycled material it contains.





# Recyclable materials

HAcare finished products are 95% recyclable. For example, the HAcare medical bed is entirely recyclable, except for the wheels and motors. Each bed can be dismantled to recover each material separately: plant fiber, metal, plastic.



## Recycled wood


The plant fiber boards used in the manufacture of HAcare Group products are:

### 100% reused wood

Reuse is one of the environmentally friendly processes. It involves, for example, leftovers from wood-processing companies (e.g. sawmill scraps, production offcuts...). But also by-products from activities such as sustainable forest management and slope maintenance.

### 100% FSC-certified wood

Recyclable with a partner supplier who, on a worldwide exclusive basis and since 2021, recycles MDF and HDF panels. No water consumption, nor green energy **biomass**.



## The metal

All metal components are **recyclable** and reusable, **infinitely**. Once the metal has been sorted, it is compressed, crushed, rolled and melted. It is then remolded into coils, bars or wire for reuse. This process can be endless!

Metal recycling has **many advantages**. It conserves natural resources by reducing the need for virgin materials, cuts energy consumption and reduces **greenhouse gas emissions**.



## Recycled plastic

At recycling plants, waste (re) becomes a **raw material** through various processes: grinding, micronization, regeneration of plastics.

The recycled plastic will then be resold to **plasturgy** manufacturers in the form of **flakes**, powder or even **granules**.



A leading level of certification





# OUTPATIENT SURGERY BEDS HOSPITAL

Surgery

AMB7 LCA



## TECH+ SIDE GUARDS

The **TECH+ 2-position side rails**, integrated under the bed surface, deploy easily to **secure the patient** while simplifying positioning and transfer. The **removable and modular headrests** offer ergonomic, stable, and user-friendly solutions for every need in **ophthalmology or dentistry**.





## **OUR EXCLUSIVES**




Over the past 40 years, the average noise level in hospitals has increased by 15 decibels (dB), reaching levels of around 70 dB, well above the WHO recommended limit of 35 dB for a healthcare environment. HAcare products are designed to combat noise nuisance. The goal is to reduce by 20dB with the addition of dampers on all rolling and stretcherable structures



## Fighting noise pollution

Anti-vibration support, **high-performance damper**: for **smooth, quiet** and **comfortable** stretching, even when crossing thresholds or exiting elevators. **Noise pollution is significantly reduced.**





*In a hospital environment where every gesture counts, protecting the health of caregivers while guaranteeing patient safety is essential. Stretcher carrying, an activity with a high risk of RSI due to repeated efforts and awkward postures, requires adapted solutions. Designed to reduce drudgery and optimize movement, our medical devices become genuine everyday allies, improving comfort, ergonomics and quality of life at work.*



## Fighting MSDs

His **ergonomic, retractable handles**, **double-roller wheels** and **5th directional and synchronized wheel** optimize its maneuverability.  
His **2 shock-absorbing corner guards**, **integrated shock absorber**, absorb impacts.






# Ophthalmologic headrest

*In specialized outpatient care and surgery, precision, comfort and rapid set-up are essential. Devices must enable the patient's posture to be adapted in complete safety, while offering caregivers quick and easy set-up, with no time lost between consultations or examinations. Optimized ergonomics boost team efficiency and guarantee a better care experience.*



## Removable "Trade" border

Suitable for **ophthalmological** and **stomatological** care, the **removable headrest** attaches quickly thanks to the **EasyClip** system. Its cushion, held in place by a magnetic system, is easily replaced without tools.





# Tech + side guards


*In ambulatory care, every detail counts: equipment must combine patient autonomy, lasting comfort and ergonomics for the caregiver. Solutions integrating intuitive controls, quick adjustments and handling assistance simplify daily life, reduce fatigue and enhance safety. The result: time-saving for teams and a smoother, calmer care experience for the patient.*



## TECH+ side guards with integrated controls

**Autonomy** and comfort for the **patient**, ergonomics and **responsiveness** for the **caregivers**.

Easy to access and assisted, they **make every gesture** easy, even during intensive use.






# HIGHLIGHTS



# Designed for ambulatory surgery (Equipment)



Optimized for ambulatory surgery, this bed facilitates the daily routine of caregivers.

His **centralized brake bi-lateral pedal** completely frees up the rear of the bed for simplified access during care.


The **variable height control**, located at the rear and operable **by foot**, keeps hands free to concentrate on the patient.

The **removable side panels** adapt to practitioners' needs.

The **2-position Tech side guards** with **assistance** reduce effort and secure every manipulation. A real time and comfort saver for teams.



# Universal bi-lateral technical rail (Universal support)



To meet the need for versatility and practicality in care environments, our ambulatory care bed is equipped with a **universal bi-lateral support** integrated directly onto the backrest lift. This technical rail, **compatible** with standard medical accessories, makes it easy and safe to install the **devices necessary for patient care** (pumps, poles, supports, etc.).

Placed as close as possible to the patient, this solution **optimizes organization** around the bed, **facilitates daily care** and **limits unnecessary travel**. A gain in efficiency for caregivers, and improved safety for the patient.




# Optimizing the care surface (Easy Clip)



With the **EasyClip®** concept, gain in efficiency and work comfort. This **intuitive, tool-free** and effortless **fixing system** makes it easy to **position**, move or remove **accessories**. **Modulable at will**, EasyClip® adapts to the specific needs of each management, whatever the type of pathology.



# Easy maintenance (Interchangeability)



Our devices have been designed to make everyday life easier for caregivers and technical teams: the **elements** are fully interchangeable without tools, enabling fast, safe and stress-free adjustments.

The **motors can be unclipped** without manipulation of the wiring, considerably reducing technical interventions and the risk of error.

This ingenious design enables simplified and rapid **SAV**, with a clear objective: to minimize equipment downtime, guarantee continuity of care and optimize the availability of your equipment.



# The QR Code to access any information (Traceability)



The **QR Code**, present on each product, gives **access to key information** such as product destination, instructions for use, eco-responsibility, technical data sheets, installation help...

This information is stored on our **SavTech** platform and **accessible** by scanning this QR Code.





# CHARACTERISTICS



# Side guards



## Patient safety, caregiver comfort

Discreet when folded, Tech's **2-position side rails**, integrated **under the lying surface**, are easily deployed to provide **optimal side protection** for the patient, particularly during rest, extended care or transfer phases.

Their **ergonomic design** enables fluid, rapid set-up, with a **assist system** for handling that reduces physical effort for caregivers. This feature is particularly valuable when used repeatedly on a daily basis, helping to **prevent musculoskeletal disorders** while optimizing care times.

Also facilitating patient set-up or transfer, Tech side guards ensure **enhanced stability** without compromising accessibility, particularly for **patients with reduced mobility** or dependents.



## TECH+ side guards with integrated controls


The Tech+ side guards directly integrate the chair's **pre-programmed controls**, for intuitive, efficient operation.

**On the patient's side**, they enable **autonomous** management of the backrest, leg rest or variable height, guaranteeing comfort and well-being at all times.

**On the caregiver's side**, they provide access to essential functions, **complementing** those dedicated to the patient, the **declive** and **position CPR**, ensuring optimum responsiveness during care and emergency situations.

Easy to access and designed with a **assist system** for handling, they reduce effort, improve ergonomics and offer lasting comfort of use, even in intensive use. The result: a perfect balance between patient autonomy, team efficiency and enhanced safety.





## Mobility for heavy-duty use

Because travel is frequent and sometimes over long distances - outpatient departments, hospitals, dialysis centers - we offer **150 mm** diameter wheels, designed to offer improved **rolling smoothness**, including on uneven surfaces or during more intensive stretchering.

**A fifth wheel directional and synchronized** central improves directional stability and facilitates **manoeuvrability** in narrow corridors or when turning, thus reducing the effort required of care staff.

This choice of configuration allows each facility to customize the level of mobility to suit its field constraints, while guaranteeing **safety, comfort** and **logistical efficiency**.



## Fluid, ergonomic driving: effortless guidance, lasting comfort.

To meet the demands of transport in healthcare environments, our chair is equipped with **ergonomic push handles**, specially designed to **facilitate guidance** and reduce caregiver fatigue, even when moving frequently or on difficult floors.

**Associated with the Soft Sound** system, these handles provide **optimum maneuverability**, ensuring **stable, fluid** and **silent** movement, even with a settled patient. Their design takes into account the realities of everyday hospital life: less effort, more control, whatever the conditions.

They offer a **large grip zone**, a natural grip, adapted to all morphologies. This ergonomic design has been thought out to **limit the risk of musculoskeletal disorders** (MSD), preserving the gestures and postures of nursing staff.





### The ergonomic remote control

#### Comfort position in one step:

This simple operation facilitates the caregiver's work and helps optimize time during the caregiver-patient relationship.

#### Nursing position in one step:

This control prevents caregivers from bending down during patient care, and effectively combats RSI.

#### Trendelenburg position in one step

Secure emergency care and patient comfort thanks to a **key to secure the trendelenburg function** and direct, simplified access to the Trendelenburg and Trendelenburg positions.

Save time for caregivers, better reactivity on a daily basis.



### Emergency foot declive

Because some situations require a **quick** and uncompromising response, our bed can be equipped with an **emergency slope control**. Placed within easy reach of the caregiver's foot, this control instantly **turns** the bed to the Trendelenburg position, without manual handling or loss of time.

This device is particularly useful in the event of vagal malaise, a drop in blood pressure or a medical incident requiring **immediate responsiveness**. It enables rapid restoration of cerebral perfusion, **while keeping hands free** to monitor or assist the patient.

Simple, robust and intuitive, the Declive pedal meets the safety requirements of acute or prolonged care environments, enhancing the **rapid intervention** capability of nursing staff.



### Variable foot height

Designed to meet the demands of **ambulatory surgery**, the variable height foot pedal offers practitioners **total freedom of movement**. Placed at the back of the bed, it enables **precise** and **rapid** foot adjustment, **without interrupting the medical gesture** or mobilizing the hands. This intelligent ergonomics **releases the caregiver** from technical constraints and **optimizes his comfort of intervention**.

Result: better **fluidity** in care, more **safety** for the patient and **enhanced efficiency** for the medical team.





## Nursing

The "Nursing" position is directly accessible in a **single gesture** thanks to the **pre-programmed** care buttons.

Intuitive and fast, this feature makes it easy to set up the ideal posture for daily care. It enables caregivers to intervene at the right height, without having to bend over or multiply manipulations, **reducing** fatigue and the risk of **musculoskeletal disorders**.

For the patient, it's the assurance of **preserved comfort** and smooth **management**.

A solution designed to optimize efficiency, make gestures safer and improve the well-being of everyone, at the heart of care.



## Patient Welcome

The "Accueil patient" position is specially designed to **secure and facilitate transfers**. Recommended by occupational therapists: perfectly suited for patient reception with full autonomy or minimal assistance. This position, directly accessible in a **single gesture** thanks to the **pre-programmed buttons**, promotes patient confidence and comfort while simplifying the work of caregivers, who can accompany movements without excessive effort.

A solution that combines **safety, ergonomics** and well-being, serving the daily lives of teams and patients.



## Ultra-Comfort (Zero Gravity)

With our **intuitive pre-programmed control system**, a single press on the remote control is all it takes to access the **"Ultra-comfort"** position, also known as **"zero gravity"**.

This ergonomic position has been designed to distribute body pressures evenly over the entire mattress. The pelvis, legs and back are positioned to promote **muscular relaxation, relieve joint tension** and **stimulate blood circulation**, while reducing areas of compression.

This feature plays a full part in improving perceived comfort, **preventing postural pain** and quality of care.




## Emergency declive

The "Emergency Trendelenburg" position can be accessed in a **single gesture** thanks to the pre-programmed **keys**.

This function quickly tilts the patient into the Trendelenburg position, essential in the event of malaise or shock in order to **favor blood return** to vital organs. Designed to maximize the **rapidity of action**, it makes care safer while reducing the stress associated with critical situations.

Ergonomic and intuitive, this control provides care staff with a **reliable** and **immediate** tool, guaranteeing efficiency, safety and operating comfort.




### Immediate responsiveness in critical situations

Because some situations require a fast, uncompromising response, our chair can be equipped with an optional **emergency slope-lowering pedal**. Placed within easy reach of the caregiver's foot, this control instantly switches the chair to **the sloping position, without manual handling** or loss of time.


This device is particularly useful in the event of vagal discomfort, a drop in blood pressure or a medical incident requiring **immediate reactivity**. It enables rapid restoration of cerebral perfusion, while keeping the hands free to monitor or assist the patient.

Simple, robust and intuitive, the declive pedal meets the **safety** requirements of acute or prolonged care environments, reinforcing the **rapid intervention capability** of nursing staff.



### CPR manual

Designed to guarantee safety and responsiveness in all circumstances, the **backrest lift disengagement system** is equipped with **two handles** (bilateral) easily accessible under the lying surface. Intuitively positioned, they enable the caregiver to instantly disengage the actuator to **lower** the backrest lift, or to return it to a fully flat position in **emergency situations**. This ergonomic design reduces complex handling and ensures rapid **intervention**, limiting patient stress and facilitating the work of medical teams. Reliable, simple and secure, this device is an essential asset for **enhancing the quality of care** and the peace of mind of nursing staff.




### Integrated battery backup: guaranteed service continuity

To ensure maximum safety and continuity of care, our chair is equipped with a **high-performance battery backup** that automatically takes over in the event of a power failure. This autonomy enables caregivers to **maintain** all the **essential functions** of the chair - position adjustments, back rest, leg rest, variable height - without interruption, even in the event of a power cut.

This solution not only guarantees patient safety and comfort, by preventing any untimely blockages, but also provides **peace of mind** for care teams, by ensuring **fluent** and stress-free management of **emergency situations**. Thanks to this battery, care continues without compromise, whatever the environment or circumstance.





### Infusion support

**Integrated** directly into the bed structure, the infusion stand offers **time savings** and optimal **stability** when administering IV treatments. Discreet yet functional, it avoids unnecessary movement and handling, **ensuring** the patient a **fluid** and **secure** care.

**Compatible with all types of infusor** or IV bag, it remains accessible at all times, **ideal** for **long care**, chemotherapy or chronic treatments.

**Compact**, it conserves space while meeting hygiene and safety requirements.

Designed to combine **efficiency** for staff and **comfort** for patients, it optimizes the **organization of care** while guaranteeing ergonomic and safe working conditions.



### Corner protectors for greater safety and durability


Ambulatory care bed corner protectors ensure enhanced safety for patient, equipment and care environment.

Equipped with an integrated **shock absorber**, they **effectively absorb shocks** when moving, even in narrow spaces.

Their wrap-around shape **limits the impact** of **collisions** with walls, doors or furniture, while **preserving the structure** of the bed.

Result: **better protection** for the **patient**, **long-lasting equipment** and fewer repair-related costs.

Designed for intensive use, they **prolong the quality** and **longevity** of hospital equipment.



### Optimizing space, smoothing the path, soothing the patient.

Designed for ambulatory surgery and care, the Ambulatory Surgery Bed (ASB) **accompanies** the patient **from reception to the operating room**, then to the monitoring room, **without unnecessary transfer**.

Purposeful and compact, it **reduces handling**, optimizes ergonomics and **keeps the patient comfortably installed** throughout. This continuity **decreases pre-operative anxiety**, enhances the sense of security and promotes **better recovery**.

For teams, the ACL **fluidifies the circuit**, **saves time** and simplifies logistics.

In the room, its compactness enables 3 LCA beds to be installed in place of 2 standard beds, **optimizing space** without compromising on comfort or quality of care.



## Easy cleaning

Thanks to the **EasyClean®** solution, **bed cleaning** becomes simple, fast and efficient. **Total access to surfaces to be cleaned** without tools.

Result: **full washing** in a minimum of time, impeccable **hygiene**, and a real gain in comfort for nursing staff



## Mattress wedge handles and Comfort mattress

The ambulatory care bed features **mattress wedge handles** all around the sleeping surface, ensuring perfect **mattress stability**, even during repeated movements. This design also **secures transfers**, limiting the risk of the patient slipping or becoming unbalanced.

The **memory foam** conforms to the body's contours, **reducing pressure points** and offering optimal comfort, even during long procedures or in the recovery phase.

**Safety, comfort** and **serenity** are thus combined for both patient and care team.



PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	90 kg
--------	-------

DIMENSIONS

Length	Chair position: 160 / Lying position: 219 cm
Width	78,5 cm
Length sleeping surface	202 cm
Width sleeping surface	65 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Steel column
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest
Number of IV pole support	2 slots on the seat

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR
---------	--



OUR EXCLUSIVES



HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability

PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	92 kg
--------	-------

DIMENSIONS

Length	Chair position: 160 / Lying position: 219 cm
Width	88,5 cm
Length sleeping surface	202 cm
Width sleeping surface	75 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Steel column
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest
Number of IV pole support	2 slots on the seat

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR
---------	--



OUR EXCLUSIVES



HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability



PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	92 kg
--------	-------

DIMENSIONS

Length	Chair position: 160 / Lying position: 219 cm
Width	88,5 cm
Length sleeping surface	202 cm
Width sleeping surface	75 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Steel column
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest / 2 section backrest with a removable head section to fasten a surgery head rest for ophthalmology, stomatology and ENT
---------------	--

Number of IV pole support	2 slots on the seat
---------------------------	---------------------

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR
---------	--



OUR EXCLUSIVES



HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability

PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	90 kg
--------	-------

DIMENSIONS

Length	Chair position: 160 / Lying position: 219 cm
Width	78,5 cm
Length sleeping surface	202 cm
Width sleeping surface	65 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Colonne métallique
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest / 2 section backrest with a removable head section to fasten a surgery head rest for ophthalmology, stomatology and ENT
---------------	--

Number of IV pole support	2 slots on the seat
---------------------------	---------------------

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR
---------	--



OUR EXCLUSIVES



HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability






## **OPTIONS & ACCESSORIES**

# Options

## ELECTRICAL CONTROL

### OPTION - EQUIPOTENTIAL CONNECTION

OPAM-70002



## ELECTRICAL CONTROL

### ANTI-STATIC SYSTEM

OPAM-70003



## SAFETY

### CABLE REEL

OPAM-70033



## SAFETY

### HOLDER FOR OPERATING FIELD WITH CONNECTION FOR OXYGEN

OPAM-90006



## CONTAINER CARRIER

### HOOKS TO HOLD BAGS

OPAM-70008



## CONTAINER CARRIER

### HOLDER FOR OXYGEN CYLINDER - NOT COMPATIBLE WITH PAPER ROLL DISPENSER (OPAM-70006)

OPAM-70012



## HANDLES

### FOLDABLE PUSH BARS FOOT-END

OPAM-70009



## COMFORT

### SUPPORTS FOR MEAL SHELF

OPAM-70005



## COMFORT

### EMERGENCY FOOT SWITCH WITH EMERGENCY FOOT RELEASE ON BOTH SIDES

OPAM-70024



## COMFORT

### SET OF TECH PLUS SIDE RAILS WITH BUILT-IN CONTROLS - FOR AMB7 WIDTH 65

OPAM-70029



## COMFORT

### SET OF TECH PLUS SIDE RAILS WITH BUILT-IN CONTROLS - FOR AMB7 WIDTH 75

OPAM-70031



## COMFORT

### OPTION ARTICULATED REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY + FLAT CUSHION

OPAM-90010



## COMFORT

### OPTION REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY AND ENT

OPAM-90011



## COMFORT

### OPTION ARTICULATED REMOVABLE SURGERY HEAD REST FOR OPHTHALMOLOGY + HOLLOW CUSHION

OPAM-90012



## COMFORT

### OPTION REMOVABLE CRYSTAL PROTECTION FOR LEG REST

OPAM-90002





# Accessories

## SAFETY

**HOLDER FOR OPERATING  
FIELD WITH CONNECTION  
FOR OXYGEN**

ACAM-90006



## SERUM HOLDER

**REMOVABLE IV POLE, 2-  
STAGE, 2 HOOKS**

ACAM-90007



## SERUM HOLDER

**REMOVABLE IV POLE, 2-  
STAGE, 4 HOOKS**

ACAM-90008



## SERUM HOLDER

**OPTION - REMOVABLE IV  
POLE, 2-STAGE, 2 HOOKS**

OPAM-90007



## SERUM HOLDER

**OPTION REMOVABLE IV  
POLE, 2-STAGE, 4 HOOKS**

OPAM-90008



## COMFORT

**REMOVABLE CRYSTAL  
PROTECTION FOR LEG  
REST**

ACAM-90002



## COMFORT

**ADDITIONAL HOLLOW  
CUSHION FOR  
ARTICULATED  
REMOVABLE SURGERY  
HEADREST**


ACAM-90004



## COMFORT

**ADDITIONAL FLAT  
CUSHION FOR  
ARTICULATED  
REMOVABLE SURGERY  
HEADREST**

ACAM-90005



## COMFORT

**ARTICULATED  
REMOVABLE SURGERY  
HEAD REST FOR  
STOMATOLOGY + FLAT  
CUSHION**

ACAM-90010



## COMFORT

**REMOVABLE SURGERY  
HEAD REST FOR  
STOMATOLOGY AND ENT**

ACAM-90011



## COMFORT

**ARTICULATED  
REMOVABLE SURGERY  
HEAD REST FOR  
OPHTHALMOLOGY +  
HOLLOW CUSHION**

ACAM-90012



## SURFACE

**MEAL SHELF 60x40 CM  
(OPAM-70005  
COMPULSORY)**

ACAM-90009



## SURFACE

**OPTION MEAL SHELF  
60x40 CM**

OPAM-90009





**100 avenue du Formans CS 11001  
01604 - TRÉVOUX, FRANCE**

Tél +33 (0)4 74 08 71 71  
[export@hacare.com](mailto:export@hacare.com)

