

CONTENTS

Our range of REST AND HEALTHCARE RECLINERS is adapted for the Day Surgery, Day Care, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

CAREXIA FP

CAREXIA FPE

CAREXIA FPU

CAREXIA FPUE

个一个

LELUET

SWANN

COLOR CHART



Carexia FP, is a fixed height versatile

Its soft and welcoming shapes bring comfort, relaxation and serenity to the patient.

Its pure and harmonious design is the vector of a positive image for your unit.

treatment chair.



Comfortable

Easy to use

Adaptable Various options available

Versatile Adapted to different units

AREXI

CAREXIA FP DIMENSIONS

1.5	LENGTH	WIDTH	HEIGHT
OVERALL	77 cm (folded) 170 cm (open)	70 cm 90 cm (with FPOAC3)	130 cm
SEAT	50 cm	55 cm	54 cm on seat
INCLINE FOLDER	80 to 60°		

PRODUCT WEIGHT: 65 to 85 Kg depending on the model SAFE WORKING LOAD: 200 Kg



NO CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS

Our range of REST AND HEALTHCARE RECLINERS is adapted for the Outpatient Surgery, Day Care, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

Versatile treatment chair.

- Adjustable back rest from 80° to 60° with 1 gaz spring
- Fixed height: 54 cm
- Heavy duty design. Steel frame with powder coating. ABS cover
- Integrated headrest
- 4 self lockable casters with double running wheels
- ABS basket
- Polyurethan armrests, can be folded up
- High resilience foam 35 kg/m3
- Ergonomic shaped backrest and seat PVC coated jersey
- Range of colors URBAN



4 self lockable casters with double running wheels



ABS basket



Integrated headrest.



Polyurethan armrests, can be folded up

Faux leather covers: URBAN TEXTILE



Fine grain, mat and gentle to the touch. Rot-proof cotton base.

Composition: Mass-processed PVC 86%, Cotton 14%. Thickness: 1,04 mm +/- 10% Effective against bacteria (MRSA) Phtalate-free Solvent-free

Martindale abrasion 100 000 cycles Waterproof



FIRE PROOF


MEDICAL







CAREXIA ED



4 castors Ø 125 mm with central lock FPORS1



4 double runing wheel castors Ø 150 mm with central lock FPORS2



Push bar & Paper roll holder FPOBP & FPOSR



Short legrest synchronized with the backrest. Trend position. FPORJ



2 holders for IV pole (necessary for TSR2) FPOSA





Comfort pillow (grey) Armrest comfort (pair)
ACC-CTG FPOAC4



Anatomic shaped armrest adjustable in height (2 positions) and in all directions.

Retractable behind the backrest for lateral transfer of the patient. (pair)

FPOAC3

REFERENCE	DESCRIPTION
FPORS1	4 castors Ø 125 mm with central lock.
FPORS2	4 double runing wheel castors Ø 150 mm with central lock.
FPOBP	Push bar
FPORJ	Short legrest synchronized with the backrest. Trend position (Gas cylinders)
FPOSA	2 holders for IV pole (necessary for TSR2)
TSR2	Removable 2-stage IV pole, 2 hooks (need the option FPOSA)
TSR4	Removable IV pole, 2-stage, 4 hooks (need the option FPOSA)
ACC-CTG	comfort pillow (grey)
FPOAC4	Armrest comfort
FPOAC3	Anatomic shaped armrest adjustable in height (2 positions) and in all directions. Retractable behind the backrest for lateral transfer of the patient.
FPOSR	Paper roll holder
FPOGC	High comfort upholestry with 2 cm thickness memory foam.
SUPTAB	Fixed Ipad support with antitheft device





CAREXIA FPE FIXED HEIGHT TREATMENT CHAIR

CAREXIA is a versatile treatment chair.

Its soft and welcoming shapes bring comfort, relaxation and serenity to the patient.

Pure and harmonious design is the vector of a positive image for your unit.


CAREXIA is a chair designed for post-surgery rest, blood sampling, care or examinations, chemotherapy or hemodialysis.



CAREXIA FPE DIMENSIONS

7.5	LENGTH	WIDTH	HEIGHT
OVERALL	77 cm (folded) 170 cm (open)	70 cm 90 cm (with FPOAC3)	130 cm
SEAT	50 cm	55 cm	54 cm on seat
INCLINE FOLDER	26 to 83°		

PRODUCT WEIGHT: 65 to 85 Kg depending on the model SAFE WORKING LOAD: 200 Kg



NO CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS

Our range of REST AND HEALTHCARE RECLINERS is adapted for the Outpatient Surgery, Day Care, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

Multi-purpose treatment chair with electric movements.

- Fixed height: 54 cm
- Heavy duty design Steel frame with powder coating ABS cover
- Integrated headrest
- Electric backrest and legrest (Electric cylinders)
- Trend position
- 4 self lockable casters with double running wheels
- ABS basket
- Polyurethan armrests, can be folded up
- High resilience foam 35 kg/m3
- Ergonomic shaped backrest and seat PVC coated jersey
- Range of colors URBAN



4 self lockable casters with double running wheels



Polyurethan armrests, can be folded up



ABS basket



Faux leather covers: URBAN TEXTILE



Fine grain, mat and gentle to the touch.

Rot-proof cotton base. Composition: Mass-processed PVC 86%, Cotton 14%. Thickness: 1,04 mm +/- 10% Effective against bacteria (MRSA) Phtalate-free Solvent-free

Martindale abrasion 100 000 cycles Waterproof



MEDICAL






Integrated headrest



REFERENCE	DESCRIPTION
FPORS1	4 castors Ø 125 mm with central lock.
FPORS2	4 double runing wheel castors Ø 150 mm with central lock.
FPOBP	Push bar
FPORJL	Long legrest (Electric cylinders)
FPORP	Electric adjustable footrest (only for long legrest) (incompatible with FPOAC4)
FPOCP1	Foot pedal control for relax and trend position
FPOSA	2 holders for IV pole (necessary for TSR2)
TSR2	Removable 2-stage IV pole, 2 hooks (need the option FPOSA)
TSR4	Removable IV pole, 2-stage, 4 hooks (need the option FPOSA)
ACC-CTG	comfort pillow (grey)
FPOAC4	Armrest comfort
FPOAC3	Anatomic shaped armrest adjustable in height and in all directions. Retractable behind the backrest for lateral transfer of the patient.
FPOSR	Paper roll holder
FPOGC	High comfort upholestry with 2 cm thickness memory foam.
FPOLAMP	Reading lamp DEL.
FPOBA	Battery 2 Ah
SUP-USB	USB port
PROTEC RJL	Removable Crystal protection for long legrest.
PROTEC RP	Removable Crystal protection for footrest
SUPTAB	Fixed Ipad support (on right or left) with antitheft device



4 castors Ø 125 mm with central lock FPORS1



4 double runing wheel castors Ø 150 mm with central lock FPORS2



Push bar & Paper roll holder FPOBP & FPOSR



Long legrest & Electric adjustable footrest (only for long legrest) FPORJL & FPORP



Foot pedal control for relax and trend position FPOCP1



2 holders for IV pole (necessary for TSR2) FPOSA







Armrest comfort (pair) FPOAC4




Anatomic shaped armrest adjustable in height (2 positions) and in all directions. Retractable behind the backrest for lateral transfer of the patient. (pair) FPOAC3



Reading lamp DEL FPOLAMP



USB Port SUP-USB





CAREXIA FPU VARIABLE-HEIGHT CARE CHAIR

Comfortable

Adaptable Various options available

Easy to use variable electric height

Versatile Adapted to different units

CAREXIA is a versatile treatment chair.

Its soft and welcoming shapes bring comfort, relaxation and serenity to the patient.

Pure and harmonious design is the vector of a positive image for your unit.

CAREXIA is a chair designed for post-surgery rest, blood sampling, care or examinations, chemotherapy or hemodialysis.




CAREXIA FPU

DIMENSIONS CAREXIA FPV

1.5	LENGTH	WIDTH	HEIGHT
OVERALL	77 cm (folded) 170 cm (open)	70 cm 90 cm (with FPOAC3)	130 cm
SEAT	50 cm	55 cm	54 cm on seat
INCLINE FOLDER	70 to 83°		
VARIABLE HEIGHT			54 to 78 cm

PRODUCT WEIGHT: 65 to 85 Kg depending on the model SAFE WORKING LOAD: 200 Kg



Our range of REST AND HEALTHCARE RECLINERS is adapted for the Outpatient Surgery, Day Care, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

Height variable electrical care chair

- Electric variable height from 54 to 78 cm (Electric cylinders)
- Adjustable back rest from 70° to 83° with 1 gaz spring
- Heavy duty design Steel frame with powder coating ABS cover
- Integrated headrest
- 4 self lockable casters with double running wheels
- ABS basket
- Polyurethan armrests, can be folded up
- High resilience foam 35 kg/m3
- Ergonomic shaped backrest and seat PVC coated jersey
- Range of colors URBAN



4 self lockable casters with double running wheels



ABS basket




Integrated headrest



Polyurethan armrests, can be folded up

Faux leather covers: URBAN TEXTILE



URBAI

Fine grain, mat and gentle to the touch. Rot-proof cotton base.

Composition: Mass-processed PVC 86%, Cotton 14%. Thickness: 1,04 mm +/- 10% Effective against bacteria (MRSA) Phtalate-free Solvent-free Martindale abrasion 100 000 cycles



FIRE PROOF









Waterproof



CAREXIA APU

4 castors Ø 125 mm with central lock FPORS1



4 double runing wheel castors Ø 150 mm with central lock FPORS2



Push bar & Paper roll holder FPOBP & FPOSR



Short legrest synchronized with the backrest. Trend position. FPORJ



2 holders for IV pole (necessary for TSR2) FPOSA



Removable IV pole, 2-stage, 2 hooks (FPOSA mandatory) TSR2



Comfort pillow (grey) ACC-CTG



Armrest comfort (pair) FPOAC4



Anatomic shaped armrest adjustable in height (2 positions) and in all directions. Retractable behind the backrest for lateral transfer of the patient. (pair) FPOAC3



USB Port SUP-USB

REXIA FPU BMB MEDICAL

A C C E S S O R I E S

, ,	,
RÉFÉRENCE	DÉSIGNATION
FPORS1	4 castors Ø 125 mm with central lock.
FPORS2	4 double runing wheel castors Ø 150 mm with central lock.
FPOBP	Push bar
FPORJ	Short legrest synchronized with the backrest - Trend position (Gas cylinders)
FPOSA	2 holders for IV pole (necessary for TSR2)
TSR2	Removable 2-stage IV pole, 2 hooks (need the option FPOSA)
TSR4	Removable IV pole, 2-stage, 4 hooks (need the option FPOSA)
ACC-CTG	comfort pillow (grey)
FPOAC4	Armrest comfort
FPOAC3	Anatomic shaped armrest adjustable in height and in all directions. Retractable behind the backrest for lateral transfer of the patient.
FPOSR	Paper roll holder
FPOGC	High comfort upholestry with 2 cm thickness memory foam
FPOBA	Battery 2 Ah
SUP-USB	USB port
SUPTAB	Fixed Ipad support with antitheft device



ALL ELECTRIC CARE CHAIR CAREXIA FPUE

CAREXIA is a versatile treatment chair.

Its soft and welcoming shapes bring comfort, relaxation and serenity to the patient.

Pure and harmonious design is the vector of a positive image for your unit.

CAREXIA is a chair designed for post-surgery rest, blood sampling, care or examinations, chemotherapy or hemodialysis.




CAREXIA FPUE

CAREXIA FPUE

CAREXIA FPVE DIMENSIONS

1.6	LENGTH	WIDTH	HEIGHT
OVERALL	77 cm (folded) 177 cm (open) + long leg rest	70 cm 90 cm (with FPOAC3)	130 cm
SEAT	50 cm	55 cm	54 cm on seat
INCLINE FOLDER	26 to 83°		
VARIABLE HEIGHT			54 to 78 cm

PRODUCT WEIGHT: 65 to 85 Kg depending on the model SAFE WORKING LOAD: 200 Kg



NO CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS

Our range of REST AND HEALTHCARE RECLINERS is adapted for the Outpatient Surgery, Day Care, Cancer Centre, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

Height variable electrical care chair

- Electric variable height from 54 to 78 cm (Electric cylinders)
- · Heavy duty design Steel frame with powder coating ABS cover
- Integrated headrest
- Electric backrest and legrest (Electric cylinders)
- Trend position
- 4 self lockable casters with double running wheels
- ABS basket
- Polyurethan armrests, can be folded up
- High resilience foam 35 kg/m3
- Ergonomic shaped backrest and seat PVC coated jersey
- Range of colors URBAN



4 self lockable casters with double running wheels



ABS basket






Polyurethan armrests, can be folded up



Trend position

Faux leather covers: URBAN TEXTILE




Fine grain, mat and gentle to the touch. Rot-proof cotton base.

Composition: Mass-processed PVC 86%, Cotton 14%.
Thickness: 1,04 mm +/- 10%
Effective against bacteria (MRSA)
Phtalate-free
Solvent-free
Martindale abrasion 100 000 cycles
Waterproof



FIRE PROO



RÉFÉRENCE	DÉSIGNATION
FPORS1	4 castors Ø 125 mm with central lock.
FPORS2	4 double runing wheel castors Ø 150 mm with central lock.
FPOBP	Push bar
FPORJL	Long legrest (Electric cylinders)
FPORP	Electric adjustable footrest (only for long legrest) (incompatible with FPOAC4)
FPOCP1	Foot pedal control for relax and trend position on both sides (Electric cylinders)
FPOCP2	Foot pedal control for variable height on both sides. (Electric cylinders)
FPOSA	2 holders for IV pole (necessary for TSR2)
TSR2	Removable 2-stage IV pole, 2 hooks (need the option FPOSA)
TSR4	Removable IV pole, 2-stage, 4 hooks (need the option FPOSA)
ACC-CTG	comfort pillow (grey)
FPOAC4	Armrest comfort
FPOAC3	Anatomic shaped armrest adjustable in height and in all directions. Retractable behind the backrest for lateral transfer of the patient.
FPOSR	Paper roll holder
FPOGC	High comfort upholestry with 2 cm thickness memory foam.
FPOLAMP	Reading lamp DEL.
FPOBA	Battery 2 Ah
SUP-USB	USB port
PROTEC RJL	Removable Crystal protection for long legrest.
PROTEC RP	Removable Crystal protection for footrest
SUPTAB	Fixed Ipad support with antitheft device



4 castors Ø 125 mm with central lock FPORS1



4 double runing wheel castors Ø 150 mm with central lock FPORS2



Push bar & Paper roll holder FPOBP & FPOSR



Long legrest & Electric adjustable footrest (only for long legrest) FPORJL & FPORP



FPOCP1& FPOCP2



2 holders for IV pole (necessary for TSR2) FPOSA



Removable IV pole, 2-stage, 2 hooks (FPOSA mandatory) TSR2



Comfort pillow (grey) ACC-CTG



Armrest comfort (pair) FPOAC4



Anatomic shaped armrest adjustable in height (2 positions) and in all directions. Retractable behind the backrest for lateral transfer of the patient. (pair) FPOAC3



Reading lamp DEL FPOLAMP



USB Port SUP-USB



TIM MANUAL RECLINER

The TIM is a manual recliner that can be adapted to different hospital services.

Its ergonomic design and hotel style provide the patient with exceptional comfort.

The TIM is a versatile recliner with all of the functions required for procedures with medical equipment.

The recliner has been designed for routine use, as well as to simplify regular maintenance.

Versatile: Adapts to different hospital services

Easy to use Manually programmed positions

Adaptable Various options available


Customizable Choose your wheelbases and armrests



TIM DIMENSIONS

	5 c	LENGTH	WIDTH	HEIGHT	DEPTH
OV	ERALL	85 cm (chair) 153 cm(extended)	72 cm 80 cm (with aluminum armrests)	115 cm	
9	SEAT		57 cm	50 cm	55 cm
LEG	G REST	44 cm	57cm		
BAG	CKREST	76 cm	55 cm		
HEA	ADREST	29 cm	55 cm		16 cm

PRODUCT WEIGHT: 35 Kg SAFE WORKING LOAD: 130 Kg



Our range of REST AND HEALTHCARE RECLINERS is adapted for the Day Surgery, Day Care, Cancer Centre, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

Manual recliner with steel frame. All cushions are retractable for cleaning or repairs.

- Assisted synchronized backrest and legrest until the confort position (Gas cylinders)
- The backrest goes independently of the legrest until the recovery position
- Reinforced steel frame
- Rack adjustment headrest
- Seat on coil springs
- Removable comfort armrests
- Front exit
- Retractable footrest under the seat
- Tubular frame:
 - Front: 2 adjustable support pads
- Back: 2 casters (Ø50 mm)
- Seat and back cushions in HR 35 Kg density foam, fireproof, and covered
- M2 fire-resistant coating Valencia, 10 colours



Tubular frame: Front: 2 adjustable pads Rear: 2 wheels with brakes (Ø50 mm)














Detachable comfortable armrests



Adjustable headrest using a rack and pinion system





Seat cushions and backrest are made from 35 kg density HR foam M2 flame retardant coating

Our range of REST AND HEALTHCARE RECLINERS is adapted for the Outpatient Surgery, Day Care, Cancer Centre, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.



Faux leather covers: VALENCIA M2

SOOTHING













107-2108



ENERGIZING





107-6003



SAFRAN 107-6012

Composition : Polyester knitted fabric with fireproof PVC coating on one side Thickness: 1,1 mm

REFRESHING

>300.000 Martindale cycles Anti-stain finish Resistant to sulfide stains Effective against bacteria Phthalate free Anti-static finish



PAGE 36

HOME





REFERENCE	NAME
FA007	Reading lamp + USB Port
FA021	Fixed aluminium armrests
FA025	4 self lockable casters (Ø50 mm)
FA030	Inox base Ø 690mm
FA019	Star base : 3 back casters + 2 front fixed pads
FA031	Neck cylindrical cushion
FA034	Legrest crystal protection





Reading light + USB port FA007



Fixed aluminum armrests FA021



Cervical roll cylindrical neck pillow FA031



Tubular wheelbase with 4 wheels with independent brakes Ø50mm



Stainless steel base Ø 690 mm FA019



Tubular wheel base with 2 rear wheels + 2 front pads FA030



Legrest crystal protection FA034





U € L U € ↑ E L E C T R I C R E C L I N E R

The VELVET is an electric recliner that can be adapted to different hospital services.

Its ergonomic design and hotel style provide the patient with exceptional comfort.

The VELVET is a versatile recliner with all of the functions required for procedures with medical equipment.

The recliner has been designed for routine use, as well as to simplify regular maintenance.

Easy to use Electrical programmed positions

Adaptable Various options available

Versatile: Adapts to different hospital services



VELVET DIMENSIONS

7.5	LENGTH	WIDTH	HEIGHT
OVERALL	100 cm (folded) 177 cm (open) 185 cm (Trendelenburg)	82 cm (with ALU armrests) 74 cm (with comfort armrests)	125 cm in seated position
SEAT	53 cm	57 cm	51 cm
LEG REST	40 cm	57 cm	
BACKREST	82 cm	57 cm	
HEADREST	32 cm	55 cm	

PRODUCT WEIGHT: 40 Kg SAFE WORKING LOAD: 160 Kg



NO CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS

PAGE 44

MEDICAL

Our range of REST AND HEALTHCARE RECLINERS is adapted for the Outpatient Surgery, Day Care, Cancer Centre, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

HOME


- Electric recliner with steel frame. All cushions are retractable for cleaning or repairs.
- Electric independant backrest and legrest (Electric cylinders)
- Reinforced steel frame, epoxy coated
- Rack adjustment headrest
- Seat on coil springs
- Foamed fireproof M1 vinyl, with silicone dacron
- Armrests with 7 cm HR foam padding and memory foam
- Retractable footrest under the seat
- Fixed height
- Star base with self lockable casters ø 75 mm
- Remote control holder
- Seat and back cushions in HR 35 Kg density foam, fireproof
- M2 fire-resistant coating Valencia, 10 colours



Star base on wheels ø 75 mm with independent brakes




Independent electric backrest and leg rest.





Aluminum armrests with strap for remote control





VELVET

Our range of REST AND HEALTHCARE RECLINERS is adapted

for the Outpatient Surgery, Day Care, Cancer Centre,

Combining comfort, ergonomics and aesthetics, our

products are designed to accommodate and meet the


General Medicine, Oncology and Dialysis units.

needs of patients and caregivers.


Adjustable headrest using a rack and pinion system



Seat cushions and backrest are made from 35 kg density HR foam



M2 flame retardant coating



Faux leather covers: VALENCIA M2

SOOTHING



107-4003









TITAN

107-4042

REFRESHING



107-2108



ENERGIZING





107-6003





107-1048

Composition: Polyester knitted fabric with fireproof PVC coating on one side Thickness: 1,1 mm

>300.000 Martindale cycles Anti-stain finish Resistant to sulfide stains Effective against bacteria Phthalate free Anti-static finish















RÉFÉRENCE	DÉSIGNATION
FA006	Emergency electric recovery position on remote control
FA007	Reading lamp + USB Port
FA0088V	Bilateral holder for IV Pole (incompatible FA022)
FA011	Paper roll dispenser
FA015B	Removable aluminium armrests 2 positions
FA022	Removable comfort armrests - incompatible with FA018V-G/D
FA031	Neck cylindrical cushion
FA009P	Small Shelf: 42 x 32 cm (FA018V-D or FA018V-G necessary)
FA009G	Large Shelf: 81 x 41 cm (FA018V-D or FA018V-G necessary)
FA018V-D	Support for meal tray on the right side of the patient (compatible with the FA018V-G)
FA018V-G	Support for meal tray on the right side of the patient (compatible with the FA018V-D)
FA025	4 self lockable casters (Ø50 mm)
FA033	2 back casters + 2 front fixed pads
FA019	Inox base Ø 690mm
FA034	Legrest crystal protection
TSR2	Removable IV pole, 2-stage, 2 hooks (FA0088VE mandatory)
TSR4	Removable IV pole, 2-stage, 4 hooks (FA0088VE mandatory)



Reading light + USB port FA007



Cervical roll cylindrical neck pillow FA031



Emergency electric recline on remote control FA006



Examination sheet roll holder FA011




Retractable aluminum armrests with 2 positions FA015B



DETACHABLE comfortable "full" armrests (pair) incompatible with FA018V FA022



Tubular wheelbase with 4 wheels with independent brakes Ø50mm FA025



Tubular wheelbase with 2 rear wheels + 2 front pads FA033

UELUET



Stainless steel base Ø 690 mm FA019



Small Shelf: 42 x 32 cm (FA018V necessary) FA009P



Large Shelf: 81 x 41 cm (FA018V necessary) FA009G



Velvet Shelf support FA018V



Bilateral holder for IV pole FA008VE



Legrest crystal protection FA034



S W A N N ELECTRIC RECLINER

The SWANN is an electric healthcare recliner that can be adapted to different hospital services.

Its ergonomic design and hotel style provide the patient with exceptional comfort.

The SWANN is a versatile recliner with all of the functions required for procedures with medical equipment.

The recliner has been designed for routine use, as well as to simplify regular maintenance.







Versatile Adapts to different hospital services

Adaptable Various options available

Easy to use Electrically programmed positions

SWANN

SWANN DIMENSIONS

7.5	LENGTH	WIDTH	HEIGHT
OVERALL	104 cm (folded) 183 cm (open)	80 cm	131 cm in seated position
SEAT	53 cm	57 cm	54 to 84 cm
LEG REST	40 cm	57 cm	
BACKREST	86 cm	55 cm	
HEADREST	32 cm	55 cm	

PRODUCT WEIGHT: 80 Kg SAFE WORKING LOAD: 160 Kg



Our range of REST AND HEALTHCARE RECLINERS is adapted for the Day Surgery, Day Care, Cancer Centre, General Medicine, Oncology and Dialysis units.


Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.

Electric recliner with steel frame. All cushions are retractable for cleaning or repairs.

- Fixed height tubular frame
- 2 pivoting self lockable back casters ø 125 mm
- 2 fixed front casters ø 125 mm
- Emergency electric recovery position on the remote control
- Aluminium armrest
- Rack adjustment headrest
- 2 holders for IV pole
- Electric backrest and legrest (Electric cylinders)
- Push bar
- PVC coated jersey
- M2 fire-resistant coating Valencia, 10 colours



2 swiveling rear wheels Ø 125 mm with independent brakes



2 fixed front wheels Ø 125 mm



HOME

Remote-controlled electric emergency recline



Aluminum armrests with strap for remote control

■■BMB ■■MEDICAL

SWANN



Adjustable headrest using a rack and pinion system



2 holders for telescopic IV poles





M2 flame retardant coating



Our range of REST AND HEALTHCARE RECLINERS is adapted for the Outpatient Surgery, Day Care, Cancer Centre, General Medicine, Oncology and Dialysis units.

Combining comfort, ergonomics and aesthetics, our products are designed to accommodate and meet the needs of patients and caregivers.



SOOTHING

ENERGIZING



OLIVE

107-5001



107-0034

107-6003



107-1048





107-4042

REFRESHING



107-2108



NECTARINE

SAFRAN

107-6012

Composition: Polyester knitted fabric with fireproof PVC coating on one side Thickness: 1,1 mm >300.000 Martindale cycles Anti-stain finish Resistant to sulfide stains

Effective against bacteria Phthalate free Anti-static finish


FIRE RATING











RÉFÉRENCE	DÉSIGNATION
FA007	Reading lamp + USB Port
FA008	IV Pole
FA010	Battery
FA011	Paper roll dispenser
FA012	Phlebotomy armrest - Dimensions 400/200/40 mm (FA012S + FA015 or FA015B required)
FA012S	Support for Phlebotomy armrest- The pair (FA015 or FA015B required)
FA014	Electric height adjustment (Electric cylinders)
FA014R	Variable height with lift (Electric cylinders)
FA017	Two-sided foot pedals for Trendelenburg adjustment (Electric height adjustment necessary FA014)
FA015	Retractable armrests 3 positions (FA014 necessary)
FA015B	Retractable aluminium armrests 2 positions
FA009P	Small Shelf: 42 x 32 cm (FA018S-D or FA018S-G necessary)
FA009G	Large Shelf: 81 x 41 cm (FA018S-D or FA018S-G necessary)
FA018S-D	Support for meal tray on the right side of the patient (compatible with the FA018S-G)
FA018S-G	Support for meal tray on the right side of the patient (compatible with the FA018S-D)
FA026	Back double running castors Ø 150 mm with central lock.
FA029	2 pivoting self lockable front casters ø 100 mm
FA027	Beam of light
FA031	Neck cylindrical cushion
FA034	Removable legrest crystal protection



Reading light + USB port FA007



Cervical roll cylindrical neck pillow FA031



Examination sheet roll holder FA011



Phlebotomy armrest + Stand FA012 - FA012S



Electrically-powered adjustable height FA014



Retractable aluminum armrests with 2 positions FA015B



Bilateral foot pedal for reclining FA017



Retractable armrests (pair) with 3 positions (FA014 obligatory) FA015



Centralized rear wheel locking via a pedal Ø 150 mm with double loading rollers FA026

HOME



2 swiveling double load-ing rollers to the front with brakes Ø 100 mm FA029

Removable legrest crystal protection FA034

SWANN



Small Shelf: 42 x 32 cm (FA018S necessary) FA009P



Large Shelf: 81 x 41 cm (FA018S necessary) FA009G



SwannShelf support FA018S



Variable height with lift FA014R









URBAN TEXTILE M1

CAREXIA RANGE





ABSINTHE

TOMATO







PANSY

FUCHSIA

PLUM







COLOR CHART



CLASSIFICATION M 1

Fine grain, mat and gentle to the touch. Rot-proof cotton base.

Composition: Mass-processed PVC 86%, Cotton 14%.

Thickness: 1,04 mm +/- 10%



Effective against bacteria (MRSA)



Solvent-free



Phtalate-free



Martindale abrasion 100000 cycles



Waterproof



VALENCIA M2

SOOTHING







TAUPE 107-0034

ROSE 107-2114

REFRESHING



107-4003





107-1048

TITAN 107-4042

NIGHT 107-2108

TEAL 107-2119

ENERGIZING









OLIVE 107-5001

NECTARINE 107-6003

SAFRAN 107-6012

COLOR CHART



FIRE RATING M2

COMPOSITION: Polyester knitted fabric with fireproof PVC coating on one side THICKNESS: 1,1mm

FINISHINGS AND TREATMENTS



Effective against bacteria (MRSA)



Antistatic finish



Phtalates free



>300000 Martindale cycles



Stain and sulfide resistant finish

A medical professional must always rely on his or her own professionnal clinical judgment when deciding whether to use a product(s) when treating a particular patient.

A healthcare professional anyway, refers to the package insert, product label and/or instructions for use before using any BMB MEDICAL product.

The products depicted are CE marked in accordance with EU Regulations and Directives.

The products are Class 1 Medical Devices.

HOME

■■BMB ■■MEDICAL



Tél: +33 (0)4 74 08 71 71

Fax: +33 (0)4 74 08 71 72

info@bmb-medical.com

100 Av. du Formans - CS 11001 01604 TREVOUX Cedex FRANCE

www.bmb-medical.com