# SERIES DFH -

DEWERT

PräzisionsStahlrohrmöbel



DURABLE


ROBUST

EASY-CARE

... WITH 3-SECTIONED LYING SURFACE

... WITH 2-SECTIONED LYING SURFACE





Model 113, 114

Model 121



•	Model 122 Length head part: 450 mm, head part and foot part can be hinged vertical 28
Folding wall tal	oles

Length head part: 550 mm, foot part can be hinged vertical 24

Length head part: 550 mm, foot part can be hinged vertical 26

Good reasons for a table of series DFH





Durable







Easy-care



High load capacity









## **Upholstery:**

- Thickness of upholstery: 60 mm; Model 106, 107: 80 mm
- Multiple glued, high-strength laminated wood panel (thickness: 18 mm);
   no breaking chipboards in case of pressure on the edges
- Two-layer homogenous polyurethane foam, density 46 and 75, Ökotex-certified
- 2 different variants for artificial leather eligible for upholstery covering:
  - · Skai® Pandoria Plus with velvet-smooth surface
  - Skai® Toronto EN with innovative staynu-technology





# Dewert-hygiene-equipment Enables optimal cleaning and disinfection

- · Artificial leather underneath the upholstery
- Vent holes underneath the upholstery, closed by special caps with valve function
- Easy hygiene because of an open construction: good accessibility of components, no plastic coverings which are breakable in the ageing process
- Option: Innovative artificial leather Skai Toronto EN with staynu








## Versatile tables for examination and treatment made of square tube:

# Technology:



- Cross brace between the feet
- Table not movable, including height adjustment screws to compensate for uneven ground
  - Option: mobility (longitudinal brace necessary)
- Galvanised steel hinges connect the upholstery parts
- Pairs of feet and frame are screwed together tightly
- Load capacity: 250 kg



#### Variants:

#### 2-sectioned lying surface:

- Head part positive adjustable
- Fixed foot part, not adjustable

Length head part 550 mm: Model 21, 22, 27, 32, 36, 37



- 2 stable parallel mounted safety metal rachets for positive adjustment of head part
- → Optional: comfortable adjustment by gas spring, stepless to +40°
- Model 27, 37: Head part stepless positive and negative adjustable by gas spring



Comfortable adjustment by gas spring, stepless to +75° to sitting position of patient





- Foot part positive adjustable by gas spring to +35°
- Fixed middle part



Length head part 550 mm: Model 31

Length head part 750 mm: Model 30





# Versatile tables for examination and treatment made of round tube:







#### Technology:



- Frame made of Ø 32 x 2 mm round tube
- · Cross brace between the feet
- Table not movable, including height adjustment screws to compensate for uneven ground
  - → Option: mobility (longitudinal brace necessary)
- Galvanised steel hinges connect the upholstery parts









#### Length head part: 550 mm

- 2 stable parallel mounted safety metal rachets for positive adjustment of head part
  - → Optional: comfortable adjustment by gas spring, stepless to +40°
- 3-sectioned lying surface: Foot part and head part positive adjustable or head part additionally negative adjustable



### **Versatile short tables for examination and treatment:**



#### Technology:



- Frame either made of 30 x 30 x 2 mm square tube or Ø 32 x 2 mm round tube
- Cross brace between the feet
- Table not movable, including height adjustment screws to compensate for uneven ground
  - → Option: mobility (longitudinal brace necessary)
- Galvanised steel hinges connect the upholstery parts (depending on model)
- Frame welded as 1 unit (powder coated) or assembled out of 2 components (chromium-plated)
- Load capacity: 250 kg

# 1-sectioned lying surface: Model 16, 17

#### 3-sectioned lying surface:



- Head part either positive adjustable by 2 metal rachets or can be hinged vertical by gas spring (depending on model)
- Fixed middle part
- Foot part can be hinged vertical by gas spring

#### Variants:

Length head part 550 mm | Square tube: Model 113, 114

Length head part 550 mm | Round tube: Model 121
Length head part 450 mm | Round tube: Model 122

# 2-sectioned table with fixed height made of square tube Length head part: 550 mm

Model 21-00 and 32-00 white powder coated (RAL 9010)

Model 21-03 and 32-03 white aluminium powder coated (RAL 9006)

Model 21-04 and 32-04 silver aluminium powder coated (RAL 9007)

Model 22-01 and 36-01 chromium-plated



Model 21-00 with option: Paper roll holder (1210)

- Table not movable, including height adjustment screws to compensate for uneven ground
- Head part positive adjustable
- Possibility to pin on a paper roll holder on head side and foot side
- Dewert-hygiene-equipment



#### **Upholstery:**

Lying surface 2-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 60 mm



Model 21-00 with options: Movable on castors, each with lock (1120-10), longitudinal brace (1310), paper roll holder (1210)

#### **Technical data:**

- Length overall: 1950 mm
- Width overall: Model 21-.., 22-01: 650 mm | Model 32-.., 36-01: 800 mm
- Height: 680 mm
- Load capacity: 250 kg

kg



#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-10 Movable on 4 castors, Ø 125 mm, each with total lock



Art. no. 1180N Movable on twin castors, Ø 100 mm with central lock (not in case of chromiumplated frame)



Art. no. 1185 Movable on twin castors, Ø 125 mm with central lock (not in case of chromium-plated frame)

**DEWERT** 

Präzisionsahlrohrmöl

#### **Longitudinal brace**



Art. no. 1310 / 1320 Longitudinal brace for additional stability, necessary in case of mobility

## **Head part options**



Art. no. 1655 Head part stepless adjustable by gas spring



Art. no. 1662 Additional second head part of the same size, adjustable by 2 metal rachets



Art. no. 1610

Nose opening

Art. no. 1620 Upholstery part to close

#### Side guards



Art. no. 1008 2 side guards foldable, RAL 9006 powder coated, length: 820 mm

# 

Art. no. 1040 1 side guard tiltable, chromium-plated, completely made of steel tube, length: 700 mm



Art. no. 1005 1 side guard to fit on side rail, with attachment clamp, chromium-plated, length: 800 mm,

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm



Art. no. 1850 Storage basket with mounting, measures: L. 530 x W. 370 x H. 80 mm

#### **Add-on elements**



Art. no. 1410 1 piece of side rail, length: 350 mm

Art. no. 1420 1 piece of side rail, length: 1300 mm



Art. no. 1430 1 attachment clamp for side rail, suitable for pipe: Ø 18 mm



Art. no. 1440 1 arm rest for side rail, without attachment clamp



Art. no. 1450 Infusion pole, without attachment clamp

# 2-sectioned table with fixed height made of square tube Length head part: 750 mm

Model 20-00 white powder coated (RAL 9010)

Model 20-03 white aluminium powder coated (RAL 9006)

Model 20-04 silver aluminium powder coated (RAL 9007)



- Table not movable, including height adjustment screws to compensate for uneven ground
- Head part stepless adjustable to sitting position
- · Possibility to pin on a paper roll holder on head side and foot side
- Dewert-hygiene-equipment



#### **Upholstery:**

Lying surface 2-sectioned:

- Head part stepless adjustable to +75° by gas spring (sitting position)
- Length head part: 750 mm
- Fixed foot part
- Length foot part: 1200 mm
- Upholstery thickness: 60 mm



# Technical data:

Length overall: 1950 mm

• Width overall: 650 mm

Height: 680 mm

Load capacity: 250 kg



# Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-10 Movable on 4 castors, Ø 125 mm, each with total lock



Art. no. 1180N Movable on twin castors, Ø 100 mm with central lock



Präzisionsahlrohrmöl

Art. no. 1185 Movable on twin castors, Ø 125 mm with central lock

#### **Longitudinal brace**



Art. no. 1310 Longitudinal brace for additional stability, necessary in case of mobility

#### **Head part options**



Art. no. 1662 Additional second head part of the same size, adjustable by 2 metal rachets



Art. no. 1610

Nose opening

Art. no. 1620

Upholstery part to close

## Side guards



Art. no. 1008 2 side guards foldable, RAL 9006 powder coated, length: 820 mm

Art. no. 1040 1 side guard tiltable, chromium-plated, completely made of steel tube, length: 700 mm



Art. no. 1005 1 side guard to fit on side rail, with attachment clamp, chromium-plated, length: 800 mm,

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

## **Upholstery options**

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm



Art. no. 1850 Storage basket with mounting, measures: L. 530 x W. 370 x H. 80 mm

#### **Add-on elements**



Art. no. 1410 1 piece of side rail, length: 350 mm

Art. no. 1420 1 piece of side rail, length: 1300 mm



Art. no. 1430 1 attachment clamp for side rail, suitable for pipe: Ø 18 mm



Art. no. 1440 1 arm rest for side rail, without attachment clamp



Art. no. 1450 Infusion pole, without attachment clamp

# 2-sectioned table with fixed height made of square tube Length head part: 550 mm

Model 27-00 and 37-00 white powder coated (RAL 9010)
Model 27-03 and 37-03 white aluminium powder coated (RAL 9006)
Model 27-04 and 37-04 silver aluminium powder coated (RAL 9007)



#### **Basic equipment:**

- · Head part positive and negative adjustable
- · Longitudinal brace for additional stability
- · Frame welded as one unit
- · Table not movable, including height adjustment screws to compensate for uneven ground
- Dewert-hygiene-equipment



#### **Upholstery:**

#### Lying surface 2-sectioned:

- Head part stepless adjustable by gas spring (-25° to +30°)
- Length head part: 550 mm
- · Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 60 mm





#### **Technical data:**

- · Length overall: 1950 mm
- Width overall: Model 27-..: 650 mm | Model 37-..: 800 mm
- Height: 650 mm
- Load capacity: 250 kg

kg



#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-10 Movable on 4 castors, Ø 125 mm, each with total lock



Art. no. 1180N Movable on twin castors, Ø 100 mm with central lock



**DEWERT** 

Präzisionsahlrohrmö

Art. no. 1185 Movable on twin castors, Ø 125 mm with central lock

#### **Head part options**



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm

#### Side guards



Art. no. 1008 2 side guards foldable, RAL 9006 powder coated, length: 820 mm



Art. no. 1040 1 side guard tiltable, chromium-plated, completely made of steel tube, length: 700 mm



Art. no. 1005 1 side guard to fit on side rail, with attachment clamp, chromium-plated, length: 800 mm,

#### **Add-on elements**



Art. no. 1410 1 piece of side rail, length: 350 mm

Art. no. 1420 1 piece of side rail, length: 1300 mm



Art. no. 1430 1 attachment clamp for side rail, suitable for pipe: Ø 18 mm




Art. no. 1440 1 arm rest for side rail, without attachment clamp



Art. no. 1450 Infusion pole, without attachment clamp

# 3-sectioned table with fixed height made of square tube Length head part: 550 mm





Both pictures: Model 31-00 with option: Head part adjustable by gas pring (1655)



# Basic equipment:

- · Table not movable, including height adjustment screws to compensate for uneven ground
- · Longitudinal brace for additional stability
- · Head part and foot part positive and negative adjustable
- Possibility to pin on a paper roll holder on head side and foot side
- · Dewert-hygiene-equipment



#### **Upholstery:**

Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 450 mm
- Foot part stepless adjustable by gas spring (0° to +32°)
- Length foot part: 950 mm
- Upholstery thickness: 60 mm





#### **Technical data:**

· Length overall: 1950 mm

Width overall: 650 mm, optional 800 mm

Height: 680 mm

Load capacity: 250 kg

kg



#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-10 Movable on 4 castors, Ø 125 mm, each with total lock



Art. no. 1180N Movable on twin castors, Ø 100 mm with central lock



Präzisions ahlrohrmö

Art. no. 1185 Movable on twin castors, Ø 125 mm with central lock

#### **Head part options**



Art. no. 1655 Head part stepless adjustable by gas spring



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

## Side guards



Art. no. 1008 2 side guards foldable, RAL 9006 powder coated, length: 820 mm



Art. no. 1040 1 side guard tiltable, chromium-plated, completely made of steel tube, length: 700 mm



Art. no. 1005 1 side guard to fit on side rail, with attachment clamp, chromium-plated, length: 800 mm,

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 31-800: Width of upholstery 800 mm

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm



Art. no. 1850 Storage basket with mounting, measures: L. 530 x W. 370 x H. 80 mm

#### **Add-on elements**



Art. no. 1410 1 piece of side rail, length: 350 mm

Art. no. 1420 1 piece of side rail, length: 1300 mm



Art. no. 1430 1 attachment clamp for side rail, suitable for pipe: Ø 18 mm



Art. no. 1440 1 arm rest for side rail, without attachment clamp



Art. no. 1450 Infusion pole, without attachment clamp

## 3-sectioned table with fixed height made of square tube Length head part: 750 mm

Model 30-00 white powder coated (RAL 9010) Model 30-03 white aluminium powder coated (RAL 9006) Model 30-04 silver aluminium powder coated (RAL 9007)





Both pictures: Model 30-00 basic equipment



- Table not movable, including height adjustment screws to compensate for uneven ground
- Longitudinal brace for additional stability
- Head part and foot part positive and negative adjustable
- Possibility to pin on a paper roll holder on head side and foot side
- Dewert-hygiene-equipment



#### **Upholstery:**

#### Lying surface 3-sectioned:

- Head part stepless adjustable (0° to +80°) by gas spring (sitting position)
- Length head part: 750 mm
- Fixed middle part
- Length middle part: 300 mm
- Foot part stepless adjustable by gas spring (0° to +30°)
- Length foot part: 900 mm
- Upholstery thickness: 60 mm





#### **Technical data:**

- Length overall: 1950 mm
- Width overall: 650 mm, optional 800 mm
- Height: 680 mm
- Load capacity: 250 kg



#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-10 Movable on 4 castors, Ø 125 mm, each with total lock



Art. no. 1180N Movable on twin castors, Ø 100 mm with central lock



Präzisions ahlrohrmö

Art. no. 1185 Movable on twin castors, Ø 125 mm with central lock

#### **Head part options**



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

#### Side guards



Art. no. 1008 2 side guards foldable, RAL 9006 powder coated, length: 820 mm



Art. no. 1040 1 side guard tiltable, chromium-plated, completely made of steel tube, length: 700 mm



Art. no. 1005 1 side guard to fit on side rail, with attachment clamp, chromium-plated, length: 800 mm,

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 30-800: Width of upholstery 800 mm

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm



Art. no. 1850 Storage basket with mounting, measures: L. 530 x W. 370 x H. 80 mm

#### Add-on elements



Art. no. 1410 1 piece of side rail, length: 350 mm

Art. no. 1420 1 piece of side rail, length: 1300 mm



Art. no. 1430 1 attachment clamp for side rail, suitable for pipe: Ø 18 mm



Art. no. 1440 1 arm rest for side rail, without attachment clamp



Art. no. 1450 Infusion pole, without attachment clamp

# 2-sectioned table with fixed height made of round tube Length head part: 550 mm

Model 106-01 and 107-01 chromium-plated

Model 106-00 and 107-00 white powder coated (RAL 9010)

Model 106-03 and 107-03 white aluminium powder coated (RAL 9006)

Model 106-04 and 107-04 silver aluminium powder coated (RAL 9007)



- Frame made of round tube
- · Table not movable, including height adjustment screws to compensate for uneven ground
- · Head part positive adjustable
- Dewert-hygiene-equipment



#### **Upholstery:**

Lying surface 2-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- · Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 80 mm

Model 107-01 with option: Paper roll holder (1220)





#### **Technical data:**

- Length overall: 1950 mm
- Width overall: Model 106-..: 650 mm | Model 107-..: 800 mm
- Height: 650 mm
- Load capacity: 250 kg

ka



#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-11 Movable on 4 castors, Ø 125 mm, each with total lock

#### Longitudinal brace



Art. no. 1310 / 1320 Longitudinal brace for additional stability, necessary in case of mobility

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm

#### **Head part options**



Art. no. 1655 Head part stepless adjustable by gas spring



Art. no. 1662 Additional second head part of the same size, adjustable by 2 metal rachets



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

# 3-sectioned table with fixed height Length head part: 550 mm

Model 120-00 white powder coated (RAL 9010)

Model 120-01 chromium-plated

Model 120-03 white aluminium powder coated (RAL 9006)

Model 120-04 silver aluminium powder coated (RAL 9007)



- Frame made of round tube
- Table not movable, including height adjustment screws to compensate for uneven ground
- · Longitudinal brace for additional stability
- · Head part positive adjustable
- · Foot part positive adjustable
- Dewert-hygiene-equipment



#### **Upholstery:**

#### Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- · Length head part: 550 mm
- Fixed middle part
- Length middle part: 450 mm
- Foot part stepless adjustable by gas spring (0° to +28°)
- Length foot part: 950 mm
- Upholstery thickness: 60 mm



• Length overall: 1950 mm

Width overall: 650 mm

Height: 650 mm

Load capacity: 250 kg





#### Design:

- · Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology





#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-10 Movable on 4 castors, Ø 125 mm, each with total lock



Art. no. 1180N Movable on twin castors, Ø 100 mm with central lock (not in case of chromiumplated frame)



Art. no. 1185 Movable on twin castors, Ø 125 mm with central lock (not in case of chromium-plated frame)

Präzisionsahlrohrmöl

#### Paper roll holder



Art. no. 1210 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 Soft covering for pleasant resting comfort, for width 650 mm, thickness 80 mm

Art. no. 1772 Upholstery medium-soft (cold foam cover), for width 650 mm, thickness 70 mm

#### **Head part options**



Art. no. 1655 Head part stepless adjustable by gas spring



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

# 3-sectioned table with fixed height Length head part: 550 mm

Model 119-01 chromium-plated

Model 119-00 white powder coated (RAL 9010)

Model 119-03 white aluminium powder coated (RAL 9006)

Model 119-04 silver aluminium powder coated (RAL 9007)



#### **Basic equipment:**

- Frame made of round tube
- Head part positive and negative adjustable
- · Table not movable, including height adjustment screws to compensate for uneven ground
- · Longitudinal brace for additional stability
- · Dewert-hygiene-equipment



#### **Upholstery:**

Lying surface 3-sectioned:

- Head part stepless adjustable by gas spring (-25° to +45°)
- · Length head part: 550 mm
- Fixed middle part
- Length middle part: 450 mm
- Foot part stepless adjustable by gas spring (0° to +28°)
- Length foot part: 950 mm
- Upholstery thickness: 80 mm



# **40** 1

#### **Technical data:**

• Length overall: 1950 mm

Width overall: 650 mm

Height: 650 mm

Load capacity: 250 kg





#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- · Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock



Art. no. 1140-11 Movable on 4 castors, Ø 125 mm, each with total lock

# DEWERT PräzisionsStahlrohrmöbel

#### **Head part options**



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

#### Paper roll holder



Art. no. 1210 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 Soft covering for pleasant resting comfort, for width 650 mm, thickness 80 mm

Art. no. 1772 Upholstery medium-soft (cold foam cover), for width 650 mm, thickness 70 mm

# **Short tables for examination and treatment 1-sectioned table with fixed height**

Model 16-00 and 17-00 white powder coated (RAL 9010) Model 16-03 and 17-03 white aluminium powder coated (RAL 9006) Model 16-04 and 17-04 silver aluminium powder coated (RAL 9007)



Both pictures: Model 16-00 with option: Paper roll holder (1210)



# **Basic equipment:**

- · Table not movable, including height adjustment screws to compensate for uneven ground
- · Possibility to pin on a paper roll holder on both traverse sides
- Dewert-hygiene-equipment



#### **Upholstery:**

Lying surface 1-sectioned:

- Length: 1450 mm (other measures possible on request)
- · Upholstery thickness: 60 mm





#### **Technical data:**

- Length overall: 1450 mm
- Width overall: Model 16-..: 650 mm | Model 17-..: 800 mm
- · Height: 650 mm
- Load capacity: 250 kg

ka



#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- · Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock




Art. no. 1140-10 Movable on 4 castors, Ø 125 mm, each with total lock



Art. no. 1180N Movable on twin castors, Ø 100 mm with central lock



**DEWERT** 



#### **Longitudinal brace**



Art. no. 1310 Longitudinal brace for additional stability, necessary in case of mobility

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm

## Short tables for examination and treatment 3-sectioned table with fixed height (square tube)

Model 113-00 and 114-00 white powder coated (RAL 9010)

Model 113-01 and 114-01 chromium-plated

Model 113-03 and 114-03 white aluminium powder coated (RAL 9006)

Model 113-04 and 114-04 silver aluminium powder coated (RAL 9007)



- Table not movable, including height adjustment screws to compensate for uneven ground
- Dewert-hygiene-equipment



#### **Upholstery:**

Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 920 mm
- Foot part stepless adjustable (-90° +10°) by gas spring (can be hinged vertical)
- Length foot part: 480 mm
- Upholstery thickness: 80 mm



#### Technical data:

- Length overall: 1950 mm
- Width overall: Model 113-..: 650 mm | Model 114-..: 800 mm
- Height: 800 mm
- Load capacity: 250 kg

#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock

#### Longitudinal brace



Art. no. 1310 / 1320 Longitudinal brace for additional stability, necessary in case of mobility

#### Paper roll holder



Art. no. 1210 / 1220 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 / 1780 Soft covering for pleasant resting comfort, for width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782 Upholstery medium-soft (cold foam cover), for width 650 mm / 800 mm, thickness 70 mm

#### **Head part options**



Art. no. 1655 Head part stepless adjustable by gas spring



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

# Side guards



Art. no. 1008 2 side guards foldable, RAL 9006 powder coated, length: 820 mm

Art. no. 1040 1 side guard tiltable, chromium-plated, completely made of steel tube, length: 700 mm



Art. no. 1005 1 side guard to fit on side rail, with attachment clamp, chromium-plated, length: 800 mm,

#### Add-on elements



1 piece of side rail, length: 350 mm

Art. no. 1420 1 piece of side rail, length: 1300 mm



Art. no. 1430 1 attachment clamp for side rail, suitable for pipe: Ø 18 mm



Art. no. 1440 1 arm rest for side rail, without attachment clamp



Art. no. 1450 Infusion pole, without attachment clamp

# Short tables for examination and treatment 3-sectioned table with fixed height (round tube)

Model 121-01 chromium-plated

Model 121-00 white powder coated (RAL 9010)

Model 121-03 white aluminium powder coated (RAL 9006)

Model 121-04 silver aluminium powder coated (RAL 9007)





All pictures: Model 121-01 with option: Paper roll holder (1210)

#### **Basic equipment:**

- · Frame made of round tube
- · Longitudinal brace for additional stability
- · Foot part can be hinged vertical
- Table not movable, including height adjustment screws to compensate for uneven ground
- · Dewert-hygiene-equipment



#### **Upholstery:**

#### Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 900 mm
- Foot part stepless adjustabe (-90° to +20°) by gas spring (can be hinged vertical)
- Length foot part: 500 mm
- Upholstery thickness: 80 mm



#### **Technical data:**

- Length overall: min. 1550 mm, max. 1970 mm
- Width overall: 650 mm
- · Height: 800 mm
- Load capacity: 250 kg (foot part vertical downwards)





#### Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



+20°



#### **Mobility**



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock

# Head part options



Art. no. 1655 Head part stepless adjustable by gas spring



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

#### Paper roll holder



Art. no. 1210 Paper roll holder, for width 650 mm / 800 mm

#### **Upholstery options**

Art. no. 1770 Soft covering for pleasant resting comfort, for width 650 mm, thickness 80 mm

Art. no. 1772 Upholstery medium-soft (cold foam cover), for width 650 mm, thickness 70 mm



# Short tables for examination and treatment 3-sectioned table with fixed height (round tube)

Model 122-00 white powder coated (RAL 9010)

Model 122-01 chromium-plated

Model 122-03 white aluminium powder coated (RAL 9006)

Model 122-04 silver aluminium powder coated (RAL 9007)



All pictures.: Model 122-00 with options: Movable on castors, each with lock (1120-10), Paper roll holder (1210)





## **Basic equipment:**

- · Frame made of round tube
- Head part and foot part can be hinged vertical
- Table not movable, including height adjustment screws to compensate for uneven ground
- Longitudinal brace for additional stability
- Dewert-hygiene-equipment







#### **Upholstery:**

Lying surface 3-sectioned:

- Head part stepless adjustabe (-90° to +25°) by gas spring (can be hinged vertical)
- · Length head part: 450 mm
- Fixed middle part
- Length middle part: 1120 mm
- Foot part stepless adjustabe (-90° to +25°) by gas spring (can be hinged vertical)
- Length foot part: 450 mm
- · Upholstery thickness: 80 mm

#### **Technical data:**

- Length overall: min. 1300 mm, max. 2020 mm
- Width overall: 650 mm
- · Height: 800 mm
- Load capacity: 250 kg (head part and foot part vertical downwards)





#### Design:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



#### Mobility



Art. no. 1120-10 Movable on 4 castors, Ø 100 mm, each with total lock

#### **Head part options**



Art. no. 1610 Nose opening

Art. no. 1620 Upholstery part to close

#### Paper roll holder



Art. no. 1265K Paper roll holder, for width 650 mm

#### **Upholstery options**

Art. no. 1770 Soft covering for pleasant resting comfort, for width 650 mm, thickness 80 mm

Art. no. 1772 Upholstery medium-soft (cold foam cover), for width 650 mm, thickness 70 mm





# Folding wall tables

2-sectioned folding wall table, turnable along the long side Length head part: 550 mm

Head part left: Model 125-00/L white powder coated (RAL 9010)

Model 125-01/L chromium-plated

Model 125-03/L white aluminium powder coated (RAL 9006) Model 125-04/L silver aluminium powder coated (RAL 9007)

Head part right: Model 125-00/R white powder coated (RAL 9010)

Model 125-01/R chromium-plated

Model 125-03/R white aluminium powder coated (RAL 9006) Model 125-04/R silver aluminium powder coated (RAL 9007)





All pictures: Model 125-01/L

#### **Function:**

- Turnable to the wall along the long side upwards or downwards
- Easy operation:
   Swinging out of the feet supported by gas spring
- High stability and less load to the wall:
   In functional state the table stands on its feet

#### Please note:

- Mounting with standard wall holders is only allowed at a solid wall
- For other wall constructions special wall holders (art. No. 125-1380) with additional stabilization at the floor are necessary (possible if there is no baseboard at the table's location)



# Technology:

- Frame construction made of square tube 30 x 30 x 2 mm
- · Galvanised steel hinges connect the upholstery parts
- 2 stable parallel mounted safety metal rachets for positive adjustment of head part



# Basic equipment:

- Head part positive adjustable
- Dewert-hygiene-equipment



Included in the scope of supply:

- 2 wall holders for table fixation
- 1 safety holder including belt for safety fixation if the table is turned upwards
- 1 spacer as a swinging stop if the table turned downwards

#### **Upholstery:**

Lying surface 2-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mmUpholstery thickness: 80 mm



#### Technical data:

- Length overall: 1950 mm
- · Length including wall holders: 2040 mm
- Width overall: 650 mm
- Height: 700 mm
- · Weight: 35 kg
- Load capacity (only for solid walls): 200 kg





#### Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



# **Additional option:**



Art. no. 125-1380 Special wall holders





# 2-sectioned folding wall table, turnable along the head part Length head part: 550 mm

Model 126-00 white powder coated (RAL 9010)

Model 126-01 chromium-plated

Model 126-03 white aluminium powder coated (RAL 9006)

Model 126-04 silver aluminium powder coated (RAL 9007)





All pictures: Model 126-01

#### **Function:**

- Turnable to the wall along the head side (upwards)
- Easy operation:

In functional state the table stands on its feet.
For turning downwards, the front pair of feet has to swing and needs to be fixed at the frame by a screw.

High stability and less load to the wall:
 In folded position the table stands on its rear foot frame which is fixed at the wall and supported by the floor.

#### Please note:

- Mounting with standard wall holders is only allowed at a solid wall
- Necessary room height: 2420 mm

# Technology:

- Frame construction made of square tube 30 x 30 x 2 mm
- · Galvanised steel hinges connect the upholstery parts
- 2 stable parallel mounted safety metal rachets for positive adjustment of head part



## Basic equipment:

- Head part positive adjustable
- Dewert-hygiene-equipment



Included in the scope of supply:

• 2 wall holders including belt for fixation if the table is turned upwards

#### **Upholstery:**

Lying surface 2-sectioned:

• Head part upwards (+30°) adjustable by 2 metal rachets

• Length head part: 550 mm

Fixed foot part

Length foot part: 1400 mmUpholstery thickness: 80 mm



#### Technical data:

Length overall: 1950 mm

Lengthincluding wall holders: 2040 mm

Width overall: 650 mm

Height: 700 mmWeight: 34 kg

Load capacity (only for solid walls): 200 kg



Necessary room height: 2420 mm

Distance head part upholstery – wall: 90 mm

• Distance wall mounting – width of lying surface: 90 mm

· Place of the 2 wall holders: 1430 mm



#### Design:

2 different variants for artificial leather eligible for upholstery covering:

Skai® Pandoria Plus with velvet-smooth surface

Skai® Toronto EN with innovative staynu-technology









K.H. Dewert GmbH Vollmestraße 7 33649 Bielefeld Germany

Post office 14 40 28 33634 Bielefeld Germany

Phone + 49 (0) 5 21 / 4 00 27-0 Fax + 49 (0) 5 21 / 4 00 27-27

Internet: www.khdewert.de E-Mail: info@khdewert.de YouTube: K.H. Dewert

You will find the whole Dewert product range with additional articles and equipment on our website and in our further catalogues.

We look forward to hear from you!



German manufacture

# SERIES DFH - VERSATILE TABLES WITH FIXED HEIGHT

