



medifa 3000

Mobile functional furniture for OR,
outpatient department and doctor's practice



Dermat⁺

info@dermat.be
www.dermat.be

we care.



Our mobile functional furniture provides safety and high quality in every respect. The range contains a variety of clever, mobile assistants for all functional areas of a clinic.

There is a focus on flexibility and hygiene in all of the products, whether they are furniture, seating or equipment. All of the furniture is made of stainless steel and thus corrosion-resistant, resistant to disinfectants, hygienic and easy to care for - throughout its entire service life.

Your advantages at a glance

- All products of the medifa 3000 series are made of ground stainless steel and have a very fine and hygienic surface.
- Manoeuvrable synthetic antistatic double castors ensure optimum mobility and are abrasion-resistant, non-discolouring and corrosion-resistant.
- High level of stability.
- The electrically conductive design of all relevant parts prevents static charging.
- Reliable service.

CONTENT	PAGE
Mayo instrument tables	4
OR swivel chairs and OR stools.....	6
Instrument trolleys	8
Functional furniture.....	10
Examination couches	12
Mobile stools.....	14
Upholstery colours	16
Further products for the OR	17

Mayo instrument tables



Hydraulic pump mayo instrument table Art.-no. 361061

- Mobile 3-leg construction made of stainless steel
- Large table top made of stainless steel, with rounded corners and edges, 360° rotatable and lockable
- With height adjustment from 900 to 1,300 mm via hydraulic pump
- 3 double swivel castors \varnothing 65 mm, 2 of them electrically conductive and with brake
- Max. load: 30 kg
- Dimensions: 740 x 540 x 900 mm



Mayo instrument table, gas spring assisted Art.-no. 361043

- Mobile 4-leg construction made of stainless steel
- Stable table top made of stainless steel, 740 x 500 mm
- Gas spring assisted height adjustment from 910 to 1,320 mm
- 4 electrically conductive double swivel castors \varnothing 75 mm with brakes
- Max. load: 30 kg
- Dimensions: 740 x 500 x 910 mm



Manual mayo instrument table Art.-no. 361042

- Mobile 4-leg construction made of stainless steel
- Stable table top made of stainless steel, 620 x 420 mm
- Manual height adjustment from 740 to 1,080 mm
- 4 electrically conductive double swivel castors \varnothing 75 mm with brake
- Max. load: 30 kg
- Dimensions: 620 x 480 x 740 mm



A handle on safety

It is very important to us to meet special requirements in the OR. The products of medifa 3000 therefore stand for maximum functionality and optimum hygiene conditions.

OR swivel chairs and OR stools



**Basic configuration:
OR swivel chairs**

- Mobile five-caster construction made of stainless steel with central brake
- Infinitely variable height adjustment from 600 to 860 mm by foot bar
- Upholstery: Black, electrically conductive, thickness 70 mm
- 5 double swivel castors ø 65 mm, 2 of them are electrically conductive
- Max. load: 140 kg

**OR swivel chair with round seat
Art.-no. 366016**

- Round seat with ø 360 mm

**OR swivel chair with round seat
and backrest
Art.-no. 366011**

- Round seat with ø 360 mm
- With adjustable backrest



**OR swivel chair with saddle seat
Art.-no. 366026**

- Saddle seat with ø 420 mm

**OR swivel chair with saddle seat
and backrest
Art.-no. 366021**

- Saddle seat with ø 420 mm
- With adjustable backrest



**Basic configuration:
OR stools**

- Five-armed base made of stainless steel
- With precision spindle height adjustment
- Round seat with ø 360 mm, thickness 60 mm and black, electrically conductive artificial leather covering
- Max. load: 140 kg
- Dimensions: 600 x 510 / 710 mm



**Mobile OR stool
Art.-no. 366080**

- With 5 electrically conductive double swivel castors ø 50 mm
- Height adjustment from 515 up to 660 mm

**OR stool with feet
Art.-no. 366050**

- With 5 floor glides, 2 of them are electrically conductive
- Height adjustment from 450 up to 595 mm

Instrument trolleys



Basic configuration: Instrument table

- Mobile, jointless square tube frame construction made of stainless steel 25 x 25 mm, cross braces 30 x 20 mm
- Tube frame designed as a protective railing, top and bottom with removable stainless steel table tops
- Max. load: 20 kg per table top
- 4 abrasion-resistant, non contact-staining, corrosion-resistant antistatic double castors ø 75 mm, 2 of them can be locked



Instrument table Art.-no. 391075

- Dimensions (W x D x H): 650 x 500 x 800 mm

Instrument table Art.-no. 391275

- Dimensions (W x D x H): 750 x 650 x 800 mm



Instrument table Art.-no. 391475

- Dimensions (W x D x H): 950 x 650 x 800 mm

1. Storage bowl squared Art.-no. 391043

- Made of stainless steel
- Dimensions (L x W): 235 x 195 mm
- Incl. clamp

2. Stainless steel bowl ø 180 mm Art.-no. 391044

- Made of stainless steel
- Incl. clamp

Stainless steel bowl ø 270 mm Art.-no. 391046

- Made of stainless steel
- Incl. clamp

3. Instruments-drop Art.-no. 391050

- With slotted lid
- Dimensions (L x W x H): 300 x 230 x 130 mm
- Incl. clamp

4. Discarding device Art.-no. 391100

- With 10 spare-boxes
- Incl. clamp




1



2



3



4



Hand and arm surgery table

Art.-no. 361045

- Mobile 4-leg construction made of stainless steel
- Radiolucent and tiltable table top, 450 x 450 mm
- Manually height adjustable from 650 up to 930 mm
- 4 electrically conductive double swivel castors \varnothing 75 mm with brakes
- Max. load: 15 kg
- Dimensions: 450 x 450 x 650 / 930 mm

Upholstery for hand and arm surgery table

Art.-no. 361046

- Artificial leather covered foam, H = 20 mm, black, electrically conductive, with velcro strap



Bowl stand single

Art.-no. 363010

- Made of stainless steel
- Five armed footbase with double castors \varnothing 50 mm, two of them are electrically conductive and with brake
- With one stainless steel bowl (6L / \varnothing = 340 mm)
- Dimensions: 580 x 580 x 800 mm

Bowl stand double

Art.-no. 363020

- Same as 363010, but with two stainless steel bowls (6L / \varnothing = 340 mm)

Bowl

Art.-no. 363030

- Made of stainless steel (6L / \varnothing = 340 mm)
- For bowl stands 363010 and 363020



Mobile infusion stand standard

Art.-no. 365010

- Height adjustable from 1,250 - 2,100 mm via screw mechanism
- Screwed footbase made of stainless steel tube 30 x 20 mm with 5 double swivel castors \varnothing 50 mm, 2 of them are electrically conductive and with brake
- High-grade bottle holder with 4 welded safety bottle hooks incl. glass holder and drip collecting vessel
- Load capacity per hook: 2 kg

Mobile infusion stand premium

Art.-no. 365015

- Same as item 365010, but with
- One-hand height adjustment
- Seamlessly welded footbase made of stainless steel tube 40 x 20 mm
- 5 double swivel castors \varnothing 65 mm, 2 of them are electrically conductive and with brake



Bucket stand

Art.-no. 364010

- With bucket 15 litres
- Made of stainless steel
- 4 double castors \varnothing 65 mm, two of them electrically conductive and with brake
- With bumper ring
- Dimensions (\varnothing x H): 420 x 400 mm

Bucket stand with push handle

Art.-no. 364020

- Same as 364010, but with
- push handle
- dimensions (\varnothing x H): 420 x 400 mm (push handle H= 860 mm)

Lid for bucket stand

Art.-no. 364030

- For stainless steel bucket (15 litres)



OR step stool single, H= 130 mm

Art.-no. 365510

- Removable tread made of stainless steel with anti-slip surface
- 4 electrically conductive floor glides
- Max. load: 135 kg
- Dimensions (L x D x H): 600 x 350 x 130 mm

OR step stool single, H= 220 mm

Art.-no. 365520

Same as 365510, but with H = 220 mm

OR step stool single, H= 300 mm

Art.-no. 365530

Same as 365510, but with H = 300 mm

OR step stool double

Art.-no. 365540

Same as 365510, but with two steps and dimensions (L x D x H): 600 x 650 x 230 / 440 mm



Step stool, H= 230 mm

Art.-no. 84400

- Removable tread with anti-slip surface
- Powder coated, white (RAL 9010)
- Max. load: 135 kg
- Dimensions (L x D x H): 470 x 275 x 230 mm

Step stool double

Art.-no. 84420

Same as 84400, but with two steps and dimensions (L x D x H): 470 x 550 x 230 / 425 mm

Examination couches



Basic configuration: Examination couch

- Stable 4-foot design made of powder coated steel sheet 30 x 30 mm
- Adjustable head section up to +35°
- Upholstery: Artificial leather covered foam, height = 50 mm
- With spacers between upholstery and frame
- Incl. paper roll holder stick
- With four synthetic floor glides
- Dimensions: 1,950 x 650 x 650 mm
- Max. load: 225 kg

Examination couch

Art.-no. 111419

Model as described

Examination couch

Art.-no. 111519

Model as described but with upholstery height: 70 mm

Mobile examination couch

Art.-no. 111519F

Model as described, but with:

- Upholstery height: 70 mm
- Longitudinal and transversal bracing
- 4 steering castors ø 100 mm, 2 of them lockable, 1 of them direction-adjustable, 1 of them free-wheeling
- 4 wall guards



Basic configuration: Examination couch made of stainless steel

- Stable 4-foot design made of stainless steel 30 x 30 mm
- Adjustable head section up to +35°
- Upholstery: Artificial leather covered foam, height = 70 mm
- With spacers between upholstery and frame
- Incl. paper roll holder stick
- With four synthetic floor glides
- Dimensions: 1,950 x 650 x 650 mm
- Max. load: 225 kg

Examination couch made of stainless steel

Art.-no. 171519

Model as described

Mobile examination couch made of stainless steel

Art.-no. 171519F

Model as described, but with:

- Longitudinal and transversal bracing
- 4 steering castors ø 100 mm, 2 of them lockable, 1 of them direction-adjustable, 1 of them free-wheeling
- 4 wall guards



Basic configuration: Mobile stools standard

- Polished five-armed aluminium base
- Gas spring supported height adjustment from 420 to 550 mm
- Five double castors with interval braking ø 50 mm
- Upholstery: Artificial leather covered foam according to colour chart
- Seat: ø 360 mm, h = 60 mm
- Base: ø 600 mm



Basic configuration: Mobile stools with back rest

- Incl. height adjustable back rest
- Polished five-armed aluminium base
- Gas spring supported height adjustment from 420 to 550 mm via release lever under seat
- Five double castors with interval braking ø 50 mm
- Upholstery: Artificial leather covered foam according to colour chart
- Seat: ø 360 mm, h = 60 mm
- Base: ø 600 mm

Mobile stool

Art.-no. 206020

Model as described, height adjustment via release lever under seat

Mobile stool

Art.-no. 206030

Same as 206020, but with height adjustment from 510 to 690 mm

Mobile stool with saddle seat

Art.-no. 206040

Same as 206020, but with saddle seat ø 400 mm

Mobile stool with saddle seat

Art.-no. 206050

Same as 206040, but with height adjustment from 510 to 690 mm

Mobile stool with foot release

Art.-no. 206060

Model as described, height adjustment from 435 to 565 mm via foot release under base, with double castors with ø 65 mm

Mobile stool with foot release

Art.-no. 206070

Same as 206060, but with height adjustment from 525 to 705 mm

Mobile stool with back rest

Art.-no. 206024

Model as described

Mobile stool with back rest

Art.-no. 206034

Same as 206024, but with height adjustment from 510 to 690 mm

Mobile stool with back rest and base ring

Art.-no. 206035

Model as described, but with base ring and height adjustment from 510 to 690 mm

Electric conductivity

Art.-no. 206012

Surcharge for electrically conductive castors and covering for stool models 206020, 206030, 206060 & 206070

Electric conductivity

Art.-no. 206013

Surcharge for electrically conductive castors and covering for stool models 206024, 206034 & 206035

Electric conductivity

Art.-no. 206014



















Surcharge for electrically conductive castors and covering for stool models 206040 & 206050

Upholstery colours

For examination couches and mobile stools

- Ergonomic implementation of upholstery parts
- Rounded rough edges
- High quality artificial leather
- Seamlessly manufactured
- Optimal possibilities to clean and to disinfect
- Various colourings without any extra charge



 -50	 -56	 -63	 -67	 -75
White	Beige	Lime	Lemonade	Agave
 -73	 -61	 -65	 -53	 -58
Apricot	Carnelian	Cherry	Pearl	Stone
 -55	 -62	 -74	 -80	 -81
Dolphin	Light Blue	Atoll	Royal	Purple
 -107	 -83	 -96		
Graphite grey	Black	Black, electrically conductive		

Further products for the OR

RooSy. The modular Room System of medifa.

The prefabricated modular room system from medifa is specially designed for the high demands in the operating room.

The perfectly coordinated wall, door and ceiling system guarantees the highest standards with maximum flexibility. medifa undertakes the complete planning, production and installation in-house and sees itself as a complete supplier of turnkey operating theatres.

Learn more:



Further products for the OR

Mobile operating tables of medifa.

Functionality and comfort for more efficiency in the operating room.

The mobile operating tables from medifa enable optimal, simple and safe patient positioning in the operating theatre.

The operating tables are suitable for all surgical disciplines, requirements and applications in clinics, hospitals and outpatient operating centres.

Learn more:



medifa



The medifa healthcare group unites competence concerning operating rooms under one roof.

medifa is an owner-run and internationally active complete solution provider in the medical technology.

The product and service portfolio covers all operating room requirements from modular wall, door, ceiling and cabinet systems (RooSy® Room Systems) for the turnkey operating room, as well as mobile operating tables, operating table accessories and operating lights, right up to examination chairs and medical

furniture. In addition, one of the largest German OEM suppliers in the medical technology sector also belongs to medifa.

medifa GmbH & Co. KG (Finnentrop), medifa hygienic rooms GmbH (Ötigheim) and medifa metall und medizintechnik GmbH in Rastatt are all part of this group of companies. The medifa healthcare group employs approximately 350 employees at three locations within Germany. The planning, engineering and production


take place exclusively in Germany, and with over 90% added value in the group of companies, the group guarantees fast reaction times.

The slogan “we care” means for us that we consistently orientate ourselves according to the requirements of our customers. Customers all over the world can rely on top-class consultation, processing and quality from a single source, made in Germany according to certified national and international quality standards.

Products

- Modular operating room systems: walls, doors, ceilings and cabinets (RooSy)
- Mobile operating tables and accessories
- Operating lights
- Examination and treatment chairs
- Medical furniture and trolleys
- Customized medical solutions

medifa worldwide



we care.



Version 10-20-EN

Subject to modifications due to technical development.
This document is intended to provide information to an
international audience outside of the US.

www.medifa.com



medifa GmbH & Co. KG

Industriestraße 5
57413 Finnentrop
Germany
fon +49 2721 71 77 -0
fax +49 2721 71 77 -255
info@medifa.com

we care.